Application No.: 10/670,316 Examiner: Ben Lewis

Art Unit: 1795

LIST OF CURRENT CLAIMS

1. (Currently amended) A fuel cell system comprising:

at least one fuel cell having a fuel chamber including a fuel electrode, an oxygen

chamber including an oxygen electrode and an electrolyte layer interposed between the

fuel electrode and the oxygen electrode;

a fuel gas discharge line for discharging residual air from the fuel chamber;

a hydrogen concentration sensor for detecting hydrogen concentration in gas

exiting the fuel chamber, the hydrogen concentration sensor being provided on the fuel gas

discharge line apart from the fuel cell;

a discharge valve [[in]] provided on the fuel gas discharge line; and

pressure regulating means for regulating a supply pressure of a flow of the fuel gas

supplied to the fuel chamber at a first pressure, higher than a second pressure used in

normal power generation, during a start-up power generating state when the fuel cell starts

up power generation with opening of the discharge valve, until the detected hydrogen

concentration of the fuel gas in the fuel chamber which is detected by the hydrogen

concentration sensor exceeds a predetermined [[gas]] hydrogen concentration, and for

reducing the supply pressure of the flow of the fuel gas to the fuel chamber to the second

pressure, lower than the first pressure, and closing the discharge valve when the detected

hydrogen concentration of the fuel gas in the fuel chamber exceeds the predetermined

[[gas]] hydrogen concentration, to thereby establish a normal power generating state in

which a flow of fuel gas into the fuel chamber is maintained at the second pressure for

generating electric power.

2. (Currently amended) The fuel cell system according to claim 1, further

comprising a fuel gas supply line through which the fuel gas flows at the time of startup of

power generation, and wherein the pressure regulating means includes a pressure

2

Examiner: Ben Lewis

Art Unit: 1795

regulating valve in the fuel gas supply line and control means for controlling the pressure

regulating valve responsive to the detected hydrogen concentration of the fuel gas in the

fuel chamber.

3. (Currently amended) The fuel cell system according to claim 1, further

comprising a fuel gas supply line through which the fuel gas flows at the time of startup of

power generation, wherein the pressure regulating means includes two regulating valves

that_are arranged in parallel and are respectively set to provide a flow of fuel gas at

different supply pressures, a switching valve arranged on the line, and switching means for

switching the open and close of the switching valve.

4. (Previously presented) The fuel cell system according to claim 1, wherein, in the

normal power generation state of the fuel cell, the fuel cell is connected to an external

load.

5. (Original) The fuel cell system according to claim 1, further comprising a start

switch for turning on and off of the fuel cell system wherein the power generation start-up

time of the fuel cell includes a predetermined period of time after the start switch is turned

on.

6. (Previously presented) The fuel cell system according to claim 5, wherein the

power generation start-up time of the fuel cell is when the start switch is turned on after a

lapse of a predetermined period of time after the start switch has been turned off in the

normal power generation state.

Claims 7 - 21. (Canceled)

3

Examiner: Ben Lewis

Art Unit: 1795

22. (Previously presented) The fuel cell system according to claim 1 further

comprising a pump between the fuel chamber and the discharge valve, wherein the

pressure regulating means includes a pressure regulating valve for changing the supply

pressure of the fuel gas between the start-up power generating state and the normal power

generating state, and control means which opens the pressure regulating valve at the same

time of startup of power generation and then drives the pump to establish a negative

pressure inside the fuel chamber.

23. (Previously presented) The fuel cell system according to claim 1 wherein,

during the start-up power generating state, residual air is discharged from the fuel

chamber and out of the fuel cell system through the opened discharge valve and gas

discharge line.

24. (Cancelled)

25. (Previously presented) The fuel cell system according to claim 1, further

comprising:

a gas outflow line connected at one end to the fuel chamber, the gas discharge line

being connected to the gas outflow line;

a gas inflow line connected at one end to the fuel chamber and at its opposite end

to the gas outflow line;

a pump located in the gas outflow line between the fuel chamber and the gas

discharge line; and

4

Examiner: Ben Lewis

Art Unit: 1795

the gas outflow line and the gas inflow line forming a gas circulating loop through the fuel chamber and the pump.

26-29. (Cancelled)

30. (Currently amended) The fuel cell system according to claim 1, further comprising:

A fuel cell system comprising:

at least one fuel cell having a fuel chamber including a fuel electrode, an oxygen chamber including an oxygen electrode and an electrolyte layer interposed between the fuel electrode and the oxygen electrode;

a gas discharge line for discharging residual air from the fuel chamber;

a hydrogen concentration sensor for detecting hydrogen concentration in gas exiting the fuel chamber;

an oxygen concentration sensor for detecting oxygen concentration in gas exiting the fuel chamber; [[and]]

a discharge valve in the fuel gas discharge line; and

pressure regulating means for regulating a supply pressure of a flow of fuel gas supplied to the fuel chamber at a first pressure, higher than a second pressure used in normal power generation, during a start-up power generating state when the fuel cell starts up power generation with opening of the discharge valve, until the detected concentration of the fuel gas in the fuel chamber exceeds a predetermined gas concentration, and for reducing the supply pressure of the flow of fuel gas to the fuel chamber to the second pressure, lower than the first pressure, and closing the discharge valve when the detected concentration of the fuel gas in the fuel chamber exceeds the predetermined gas concentration, to thereby establish a normal power generating state in which a flow of fuel

Examiner: Ben Lewis

Art Unit: 1795

gas into the fuel chamber is maintained at the second pressure for generating electric power;

wherein the pressure regulating means reduces the supply pressure of the flow of fuel gas to the second pressure and closes the discharge valve only when the detected oxygen concentration equal to or less than a predetermined oxygen concentration.

31. (Cancelled)